



Setting a New Standard for Bug Screen Doors at your Dock

- Keep bugs, birds & intruders out while allowing fresh air in.
- Keep non air conditioned space cooler for long periods of time.
- Structurally sound fiberglass wind bars won't break, kink or take a set if impacted – reduces down time waiting on parts.
- Pre-assembled components and simple door design – reduces installation time.
- Full end caps are included on all wind bars to reduce friction in the PVC tracks.
- Adjustable projection mount hardware to provide maximum flexibility for many installation scenarios.



Helps meet AIB Inspection Standards.


WARRANTY – 2 years on components and workmanship, 1 year on labor!
Double the warranty of most bug screen door manufacturers!

Installation Made Quick and Easy!




End brackets, entire door curtain, weather seal, roll cover and trim are pre-assembled.

Mounting brackets are not required for in-jamb or face mounted doors.



No fabric trimming on side seal panels for projection mount installations. Panels are preinstalled in the door track at the factory. The wall side of the panels are snapped into the wall mounted receiver.

Projection mount brackets are pre-assembled and adjustable for maximum flexibility and reduced install time.



The optional pre-wired controls saves install time.


Reduces downtime during installation in your facility!

6 options to activate your door!



In-Tube motors can operate your door at 6"/second or 12"/second.

Manual Chain Hoist door with a brake is simple to use and easy to install.



Hand Crank door can be used manually with handle or driven by a power drill for quicker operation.

Manual Spring Assist doors are held down and secured with a simple tethered pin lock.



All doors come with a full width roll cover to protect the top roll assembly, while providing a tight seal for the industry's best insect control.

Door Material and Component Construction

- **Panel Construction** – Features heat welded seams for more strength and durability.
- **Panel Materials** – 17 x 11 polyester scrim/ 65% shade factor, easily replaced.
- 14oz. solid vinyl panels available at no additional charge.
- 18oz. solid vinyl panels available for a minimal upcharge.
- Double Polished, Clear vision panel available at no charge.
- Fiberglass wind bars provide exceptional flexibility and durability.
- End brackets, roll/drum, and other components are aluminum and stainless steel for maximum durability and performance.
- Side panels are made of 14oz. vinyl with PVC keder welded into the ends.

Colors

14oz Vinyl Color Options



Mesh Color Options



18oz vinyl is not available in all colors. The color options shown are not an exact match. For samples of the material please contact Goffs.


Options & Accessories



Toggle Switch
Toggle Switch is standard on all G1 powered doors.



RF with Remote Control
Transmitter and a receiver. Perfect for use with Fork Lift/ Vehicle Drivers.



Pull Cord
Mounts to the ceiling. Perfect for Pedestrians & Fork Lift/ Vehicle Drivers.



Reflective Photo Eye
Optional safety photo eye is available on powered doors.



Nema 1 - 3 Button Controller
Optional on G1 Doors

Warranty: Goff's Enterprises, Inc warrants all G1 Door Systems for 2 years on components and workmanship, plus 1 year on labor. Warranty excludes electric motor and spring-assist roll-up mechanism; warranty on these items is 1 year. Goff's reserves the right to repair or replace warranty items at its discretion.

Goff's Other Products

Goff's Product line includes a variety of custom made vinyl products.

Other products include High Performance Vinyl & Mesh Doors, Roll-up Curtains, Outdoor & Super Exterior Curtains, Climate Control Curtains, Welding Curtains, Strip Doors, Welding Screens, Privacy Screens, Noise Control Curtains & Screens, Trailer Doors, Manual Bug Blocking Doors, Food Processing Curtains, & More!



Distributed By



Tel. (55) 44 40 35 08
E-mail. servicio@dock-depot.com.mx
Portal. www.dock-depot.com.mx

